

## **DECISION DOCUMENT NATIONWIDE PERMIT 12**

This document discusses the factors considered by the Corps of Engineers (Corps) during the issuance process for this Nationwide Permit (NWP). This document contains: (1) the public interest review required by Corps regulations at 33 CFR 320.4(a)(1) and (2); (2) a discussion of the environmental considerations necessary to comply with the National Environmental Policy Act; and (3) the impact analysis specified in Subparts C through F of the 404(b)(1) Guidelines (40 CFR Part 230). This evaluation of the NWP includes a discussion of compliance with applicable laws, consideration of public comments, an alternatives analysis, and a general assessment of individual and cumulative impacts, including the general potential effects on each of the public interest factors specified at 33 CFR 320.4(a).

### **1.0 Text of the Nationwide Permit**

Utility Line Activities. Activities required for the construction, maintenance, repair, and removal of utility lines and associated facilities in waters of the United States, provided the activity does not result in the loss of greater than 1/2 acre of waters of the United States.

Utility lines: This NWP authorizes the construction, maintenance, or repair of utility lines, including outfall and intake structures, and the associated excavation, backfill, or bedding for the utility lines, in all waters of the United States, provided there is no change in pre-construction contours. A “utility line” is defined as any pipe or pipeline for the transportation of any gaseous, liquid, liquescent, or slurry substance, for any purpose, and any cable, line, or wire for the transmission for any purpose of electrical energy, telephone, and telegraph messages, and radio and television communication. The term “utility line” does not include activities that drain a water of the United States, such as drainage tile or french drains, but it does apply to pipes conveying drainage from another area.

Material resulting from trench excavation may be temporarily sidecast into waters of the United States for no more than three months, provided the material is not placed in such a manner that it is dispersed by currents or other forces. The district engineer may extend the period of temporary side casting for no more than a total of 180 days, where appropriate. In wetlands, the top 6 to 12 inches of the trench should normally be backfilled with topsoil from the trench. The trench cannot be constructed or backfilled in such a manner as to drain waters of the United States (e.g., backfilling with extensive gravel layers, creating a french drain effect). Any exposed slopes and stream banks must be stabilized immediately upon completion of the utility line crossing of each waterbody.

Utility line substations: This NWP authorizes the construction, maintenance, or expansion of substation facilities associated with a power line or utility line in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not result in the loss of greater than 1/2 acre of waters of

the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters of the United States to construct, maintain, or expand substation facilities.

Foundations for overhead utility line towers, poles, and anchors: This NWP authorizes the construction or maintenance of foundations for overhead utility line towers, poles, and anchors in all waters of the United States, provided the foundations are the minimum size necessary and separate footings for each tower leg (rather than a larger single pad) are used where feasible.

Access roads: This NWP authorizes the construction of access roads for the construction and maintenance of utility lines, including overhead power lines and utility line substations, in non-tidal waters of the United States, provided the total discharge from a single and complete project does not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters for access roads. Access roads must be the minimum width necessary (see Note 2, below). Access roads must be constructed so that the length of the road minimizes any adverse effects on waters of the United States and must be as near as possible to pre-construction contours and elevations (e.g., at grade corduroy roads or geotextile/gravel roads). Access roads constructed above pre-construction contours and elevations in waters of the United States must be properly bridged or culverted to maintain surface flows.

This NWP may authorize utility lines in or affecting navigable waters of the United States even if there is no associated discharge of dredged or fill material (See 33 CFR Part 322). Overhead utility lines constructed over section 10 waters and utility lines that are routed in or under section 10 waters without a discharge of dredged or fill material require a section 10 permit.

This NWP also authorizes temporary structures, fills, and work necessary to conduct the utility line activity. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if any of the following criteria are met: (1) the activity involves mechanized land clearing in a forested wetland for the utility line right-of-way; (2) a section 10 permit is required; (3) the utility line in waters of the United States, excluding overhead lines, exceeds 500 feet; (4) the utility line is placed within a jurisdictional area (i.e., water of the United States), and it runs parallel to a stream bed that is within that jurisdictional area; (5) discharges that result in the loss of greater than 1/10-acre of waters of the United States; (6) permanent access roads are constructed above grade in waters of the United States for a distance of more than 500 feet; or (7) permanent access

roads are constructed in waters of the United States with impervious materials. (See general condition 27.) (Sections 10 and 404)

Note 1: Where the proposed utility line is constructed or installed in navigable waters of the United States (i.e., section 10 waters), copies of the pre-construction notification and NWP verification will be sent by the Corps to the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), for charting the utility line to protect navigation.

Note 2: Access roads used for both construction and maintenance may be authorized, provided they meet the terms and conditions of this NWP. Access roads used solely for construction of the utility line must be removed upon completion of the work, accordance with the requirements for temporary fills.

Note 3: Pipes or pipelines used to transport gaseous, liquid, liquescent, or slurry substances over navigable waters of the United States are considered to be bridges, not utility lines, and may require a permit from the U.S. Coast Guard pursuant to Section 9 of the Rivers and Harbors Act of 1899. However, any discharges of dredged or fill material into waters of the United States associated with such pipelines will require a section 404 permit (see NWP 15).

## **1.1 Requirements**

General conditions of the NWPs are in the Federal Register notice announcing the issuance of this NWP. Pre-construction notification requirements, additional conditions, limitations, and restrictions are in 33 CFR part 330.

## **1.2 Statutory Authority**

- Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403)
- Section 404 of the Clean Water Act (33 U.S.C. 1344)

## **1.3 Compliance with Related Laws (33 CFR 320.3)**

### **1.3.1 General**

NWPs are a type of general permit designed to authorize certain activities that have minimal adverse effects on the aquatic environment and generally comply with the related laws cited in 33 CFR 320.3. Activities that result in more than minimal adverse effects on the aquatic environment, individually or cumulatively, cannot be authorized by NWPs. Individual review of each activity authorized by an NWP will not normally be performed, except when pre-construction notification to the Corps is required or when an applicant requests verification that an activity complies with an NWP. Potential adverse impacts and compliance with the laws cited in 33 CFR 320.3 are controlled by the terms and conditions of each NWP, regional and case-specific conditions, and the review process that is undertaken prior to the issuance of NWPs.

The evaluation of this NWP, and related documentation, considers compliance with each of the following laws, where applicable: Sections 401, 402, and 404 of the Clean Water Act; Section 307(c) of the Coastal Zone Management Act of 1972, as amended; Section 302 of the Marine Protection, Research and Sanctuaries Act of 1972, as amended; the National Environmental Policy Act of 1969; the Fish and Wildlife Act of 1956; the Migratory Marine Game-Fish Act; the Fish and Wildlife Coordination Act, the Federal Power Act of 1920, as amended; the National Historic Preservation Act of 1966; the Interstate Land Sales Full Disclosure Act; the Endangered Species Act; the Deepwater Port Act of 1974; the Marine Mammal Protection Act of 1972; Section 7(a) of the Wild and Scenic Rivers Act; the Ocean Thermal Energy Act of 1980; the National Fishing Enhancement Act of 1984; and the Magnuson-Stevens Fishery and Conservation and Management Act. In addition, compliance of the NWP with other Federal requirements, such as Executive Orders and Federal regulations addressing issues such as floodplains, essential fish habitat, and critical resource waters is considered.

### **1.3.2 Terms and Conditions**

Many NWPs have notification requirements that trigger case-by-case review of certain activities. Two NWP general conditions require case-by-case review of all activities that may adversely affect Federally-listed endangered or threatened species or historic properties (i.e., general conditions 17 and 18). General condition 15 restricts the use of NWPs for activities that are located in Federally-designated wild and scenic rivers. None of the NWPs authorize artificial reefs. General condition 24 prohibits the use of an NWP with other NWPs, except when the acreage loss of waters of the United States does not exceed the highest specified acreage limit of the NWPs used to authorize the single and complete project.

In some cases, activities authorized by an NWP may require other federal, state, or local authorizations. Examples of such cases include, but are not limited to: activities that are in marine sanctuaries or affect marine sanctuaries or marine mammals; the ownership, construction, location, and operation of ocean thermal conversion facilities or deep water ports beyond the territorial seas; activities that result in discharges of dredged or fill material into waters of the United States and require Clean Water Act Section 401 water quality certification; or activities in a state operating under a coastal zone management program approved by the Secretary of Commerce under the Coastal Zone Management Act. In such cases, a provision of the NWPs states that an NWP does not obviate the need to obtain other authorizations required by law. [33 CFR 330.4(b)(2)]

Additional safeguards include provisions that allow the Chief of Engineers, division engineers, and/or district engineers to: assert discretionary authority and require an individual permit for a specific activity; modify NWPs for specific activities by adding special conditions on a case-by-case basis; add conditions on a regional or nationwide basis to certain NWPs; or take action to suspend or revoke an NWP or NWP authorization for activities within a region or state. Regional conditions are imposed to protect important

regional concerns and resources. [33 CFR 330.4(e) and 330.5]

### **1.3.3 Review Process**

The analyses in this document and the coordination that was undertaken prior to the issuance of the NWP fulfill the requirements of the National Environmental Policy Act (NEPA), the Fish and Wildlife Coordination Act, and other acts promulgated to protect the quality of the environment.

All NWPs that authorize activities which may result in discharges of dredged or fill material into waters of the United States require water quality certification. NWPs that authorize activities within, or affecting land or water uses within a state that has a Federally-approved coastal zone management program, must also be certified as consistent with the state's program. The procedures to ensure that the NWPs comply with these laws are described in 33 CFR 330.4(c) and (d), respectively.

### **1.4 Public Comment and Response**

For a summary of the public comments received in response to the September 26, 2006, Federal Register notice, refer to the preamble in the Federal Register notice announcing the reissuance of this NWP. The substantive comments received in response to the September 26, 2006, Federal Register notice were used to improve the NWP by changing NWP terms and limits, notification requirements, and/or NWP general conditions, as necessary.

We proposed to modify this NWP by removing the provisions authorizing the construction of permanent and temporary access roads and simplifying the pre-construction notification thresholds. Several commenters supported all proposed changes to this NWP.

One commenter recommended modifying this NWP to explicitly include utility line relocation, in addition to utility line construction, maintenance, and repair. Two commenters suggested reducing the authorized duration of temporary sidelaying. One of these commenters said that four weeks is sufficient time for temporary sidelaying, and the other commenter recommended a time limit of 30 days. One commenter said that this NWP should require all trenched material to be returned to the trench as backfill, not just the upper 6 to 12 inches, to sustain groundwater hydrology and prevent drainage of wetlands and other waters of the United States. One commenter requested that total impacts at the site be limited to 3/10 acre.

This NWP authorizes the relocation of utility lines, which is covered by the construction, maintenance, and repair activities authorized by this NWP. We believe that three months is an appropriate time frame for temporary sidelaying of excavated material into waters of the United States. Division engineers can regionally condition this NWP to reduce the authorized period of temporary sidelaying, to further ensure minimal adverse effects. In response to a pre-construction notification, district engineers can add special conditions to the NWP authorization to reduce the length of time temporary sidelaying is authorized. We

do not agree that it is necessary to require that all trenched material be returned to the trench to maintain pre-construction hydrology. The NWP explicitly prohibits backfilling the trench in a manner that would result in a french drain effect, and drain nearby waters. We believe the 1/2 acre limit for this NWP is sufficient to ensure that it authorizes only those activities that result in minimal individual and cumulative adverse effects on the aquatic environment. This limit applies to the total discharges associated with the single and complete project.

Several commenters supported the proposed pre-construction notification thresholds for this NWP, stating that they are simpler than the current thresholds and would capture many of those utility line activities that required pre-construction notification under the 2002 NWP. A couple of commenters recommended retaining the pre-construction notification thresholds of the NWP 12 issued in 2002. A number of commenters said that the pre-construction notification for temporary losses of greater than 1/10 acre of water of the United States should be eliminated. Some of these commenters stated that this pre-construction notification threshold is confusing, because it is not consistent with the definition of "loss of waters of the United States." Other commenters recommended changing the phrasing of this pre-construction notification threshold from "temporary loss" to "temporary impact" to provide consistent terminology for the NWPs. Several commenters said that the 1/10 acre pre-construction notification threshold for temporary losses should be eliminated, because it is not necessary to ensure minimal adverse effects and it is not consistent with the pre-construction notification thresholds of other NWPs. One commenter indicated that the pre-construction notification threshold for temporary losses would result in a dramatic increase in the numbers of pre-construction notifications submitted to the Corps. Another commenter stated that this pre-construction notification threshold would remove incentives for project proponents to minimize temporary impacts. Several commenters said that requiring pre-construction notifications for temporary losses greater than 1/10 acre would increase the number of wetland delineations required to be submitted with those notifications.

One commenter asked if an activity resulting in impacts of 1/10 acre or less to special aquatic sites, including wetlands, would require pre-construction notification. Another commenter said that there may be utility line activities resulting in the loss of less than 1/10 acre that may result in more than minimal adverse effects on the aquatic environment. One commenter objected to the removal of the pre-construction notification requirement for activities that include mechanized landclearing of forested wetlands, stating that this may result in significant habitat loss of forested wetlands and a significant permanent loss of forested wetland functions. One commenter recommended requiring pre-construction notifications for activities that may impact fish passage.

We are restoring the pre-construction notification thresholds that were in the NWP 12 issued in 2002, so that district engineers will be able to conduct case-by-case review for certain utility line activities that have the potential to result in more than minimal adverse effects on the aquatic environment. Pre-construction notification will be required if any of the following criteria are met: (1) the activity involves mechanized land clearing in a forested wetland for the utility line right-of-way; (2) a section 10 permit is required; (3) the utility line in waters of the United States, excluding overhead lines, exceeds 500 feet; (4) the utility

line is placed within a jurisdictional area (i.e., water of the United States), and it runs parallel to a stream bed that is within that jurisdictional area; (5) discharges that result in the loss of greater than 1/10-acre of waters of the United States; (6) permanent access roads are constructed above grade in waters of the United States for a distance of more than 500 feet; or (7) permanent access roads are constructed in waters of the United States with impervious materials. Discharges resulting in temporary losses of waters only will no longer trigger a pre-construction notification requirement, unless they trigger one of the criteria above.

Division engineers can regionally condition this NWP to require pre-construction notification for other utility line activities, if there are concerns for the aquatic environment or public interest that warrant lower pre-construction notification thresholds, such as endangered or threatened species, or impacts to forested wetlands. General condition 2, Aquatic Life Movements, requires permittees to not disrupt necessary life cycle movements of aquatic organisms, such as fish.

Several commenters requested that the definition of single and complete project, as applied to utility line projects, be modified to state that the 1/10 acre pre-construction notification threshold applies to the entire utility line and not to each separate water or wetland crossing.

The requirement to submit a pre-construction notification for those utility line activities listed in the "Notification" paragraph of this NWP applies to a single and complete project, as defined at 33 CFR 330.2(i). In the case of a utility line, a single and complete project consists of a single crossing of a water of the United States, or more than one crossing at the same location (see the definition of "single and complete project").

Several commenters expressed opposition to the proposed removal of access roads from this NWP, especially the construction of temporary access roads, which would require authorization under NWP 33 and require pre-construction notification for all activities. One commenter supported the use of NWPs 14 and 33 for utility line access roads, because it would provide greater flexibility in the locations where these roads could be built. Most of these commenters expressed concern that requiring pre-construction notification for all temporary access road construction activities will significantly increase the regulatory burdens on permittees and most likely cause substantial delays in utility line projects. One commenter said that access roads should be retained in this NWP, with a 1/2 acre limit for the utility lines and a 1/2 acre limit for the access road. Several commenters stated that requiring authorization of permanent access roads through NWP 14 could result in impacts greater than 1/2 acre at the site of a single and complete project. One commenter said that utility line substations should be authorized by another NWP, because these facilities can be constructed at a more distant location from the utility line.

After considering these comments, as well as the probable negative effects that this proposed change would have on essential services such as the distribution of energy to the public, we have decided to retain authorization of permanent and temporary access roads in NWP 12. We have added a paragraph to authorize access roads, using language from the NWP 12 issued in 2002. We are also putting Note 2 back into this NWP. This note states that access

roads used for both construction and maintenance are authorized by this NWP. This note has been adapted from the NWP 12 issued in 2002, but revised to clarify that temporary access roads may be authorized by NWP 12, provided the area is restored to pre-construction elevations and revegetated as appropriate. To address concerns about temporary impacts to waters of the United States associated with utility line activities, we are adding explicit requirements to remove all temporary fills in their entirety, return affected areas to pre-construction elevations, and revegetate affected areas as appropriate.

The 1/2 acre limit for this NWP applies to each single and complete utility line activity. There are not separate acreage limits for utility lines and access roads. Retaining authorization of access roads in this NWP, as well as authorization for utility line substations, will help provide effective authorization for utility line activities.

One commenter recommended reformatting this NWP to be consistent with other NWPs. Another commenter suggested that the phrase “provided the activity does not result in the loss of greater than 1/2 acre of those waters” be deleted, since the 1/2 acre limit is indicated in the first paragraph of this NWP. One commenter said that mitigation should be required for all NWP activities. Another commenter stated that the NWP should clarify that mitigation banks may be used to provide compensatory mitigation for permanent adverse effects authorized by this NWP.

The format of this NWP need not be consistent with the other NWPs, because of the authorized activities. We are retaining the reference to the 1/2 acre limit in the paragraph that authorizes utility line substations, to make it clear that any losses associated with this activity are included in the 1/2 acre limit. A similar reference to the 1/2 acre limit is also provided in the paragraph authorizing access roads. Mitigation requirements for this NWP will be established in accordance with general condition 20, Mitigation. This general condition states that mitigation banks may be used to provide compensatory mitigation for activities authorized by NWPs.

One commenter suggested adding language to this NWP that would require sand and gravel excavated from a lake bed during trench excavation to be temporarily sidecast in a manner such that it would not be buried by material with finer grain sizes. Another commenter stated that this NWP should not be used to authorize utility line activities in streams that support salmon.

Concerns for potential impacts to lake substrate are more appropriately addressed through either the special conditions added to an NWP authorization by the district engineer, or by regional conditioning of the NWP by division engineers. Potential impacts to salmon are also more appropriately addressed through regional conditions or the review of pre-construction notifications, including the district engineer’s use of discretionary authority and the addition of special conditions to the NWP authorization.

One commenter said that this NWP should be conditioned to require placement of the utility line in the right-of-way of existing or proposed roads or at the narrowest section of wetlands

or streams. This commenter also stated that the number of stream crossings should be limited to the minimum necessary.

These concerns are addressed by general condition 20, Mitigation, which requires avoidance and minimization on the project site to the maximum extent practicable. It is not appropriate to condition this NWP to require utility lines to be placed in existing rights-of-way or at the narrowest sections of waters of the United States. Often it is not feasible to limit utility lines to these areas, and practicable alternatives are usually rather limited. Many utility lines need to be installed in areas without roads.

One commenter said that this NWP should require communication or power poles to be upgraded to current standards to avoid detrimental impacts to migratory birds. This commenter also stated that this NWP should not authorize wind generating turbines.

Design requirements for communication or power poles relative to migratory birds are more appropriately addressed through other regulatory programs. Wind generating turbines are not considered to be utility lines. To the extent that the construction of wind generating turbines requires Department of the Army authorization, those activities may be authorized by individual permits, regional general permits, or other NWPs (e.g., NWP 25).

## **2.0 Alternatives**

This evaluation includes an analysis of alternatives based on the requirements of NEPA, which requires a more expansive review than the Clean Water Act Section 404(b)(1) Guidelines. The alternatives discussed below are based on an analysis of the potential environmental impacts and impacts to the Corps, Federal, Tribal, and state resource agencies, general public, and prospective permittees. Since the consideration of off-site alternatives under the 404(b)(1) Guidelines does not apply to specific projects authorized by general permits, the alternatives analysis discussed below consists of a general NEPA alternatives analysis for the NWP.

### **2.1 No Action Alternative (No Nationwide Permit)**

The no action alternative would not achieve one of the goals of the Corps Nationwide Permit Program, which is to reduce the regulatory burden on applicants for activities that result in minimal adverse effects on the aquatic environment, individually or cumulatively. The no action alternative would also reduce the Corps ability to pursue the current level of review for other activities that have greater adverse effects on the aquatic environment, including activities that require individual permits as a result of the Corps exercising its discretionary authority under the NWP program. The no action alternative would also reduce the Corps ability to conduct compliance actions.

If this NWP is not available, substantial additional resources would be required for the Corps to evaluate these minor activities through the individual permit process, and for the public

and Federal, Tribal, and state resource agencies to review and comment on the large number of public notices for these activities. In a considerable majority of cases, when the Corps publishes public notices for proposed activities that result in minimal adverse effects on the aquatic environment, the Corps typically does not receive responses to these public notices from either the public or Federal, Tribal, and state resource agencies. Another important benefit of the NWP program that would not be achieved through the no action alternative is the incentive for project proponents to design their projects so that those activities meet the terms and conditions of an NWP. The Corps believes the NWPs have significantly reduced adverse effects to the aquatic environment because most applicants modify their projects to comply with the NWPs and avoid the delays and costs typically associated with the individual permit process.

In the absence of this NWP, Department of the Army (DA) authorization in the form of another general permit (i.e., regional or programmatic general permits, where available) or individual permits would be required. Corps district offices may develop regional general permits if an NWP is not available, but this is an impractical and inefficient method for activities with minimal individual or cumulative adverse effects on the aquatic environment that are conducted across the Nation. Not all districts would develop these regional general permits for a variety of reasons. The regulated public, especially those companies that conduct work in more than one Corps district, would be adversely affected by the widespread use of regional general permits because of the greater potential for lack of consistency and predictability in the authorization of similar activities with minimal adverse effects on the aquatic environment. These companies would incur greater costs in their efforts to comply with different regional general permit requirements between Corps districts. Nevertheless, in some states Corps districts have issued programmatic general permits to take the place of this and other NWPs. However, this approach only works in states with regulatory programs comparable to the Corps Regulatory Program.

## **2.2 National Modification Alternatives**

Since the Corps Nationwide Permit program began in 1977, the Corps has continuously strived to develop NWPs that authorize activities that result only in minimal adverse effects on the aquatic environment, individually or cumulatively. Every five years the Corps reevaluates the NWPs during the reissuance process, and may modify an NWP to address concerns for the aquatic environment. Utilizing collected data and institutional knowledge concerning activities authorized by the Corps regulatory program, the Corps reevaluates the potential impacts of activities authorized by NWPs. The Corps also uses substantive public comments on proposed NWPs to assess the expected impacts. This NWP was developed to authorize the construction, maintenance, repair, and removal of utility lines and associated facilities, provided those activities and facilities have minimal adverse effects on the aquatic environment. The Corps has considered alternative acreage limits and applicable waters for this NWP, as well as modifying or adding NWP general conditions, as discussed in the preamble of the Federal Register notice announcing the issuance of this NWP.

In the September 26, 2006, Federal Register notice, the Corps requested comments on the proposed reissuance of this NWP. The Corps proposed to change this NWP by removing the term authorizing the construction of access roads and to simplify the pre-construction notification provisions. Pre-construction notification would be required for all utility lines requiring authorization under Section 10 of the Rivers and Harbors Act, or discharges of dredged or fill material resulting in the permanent or temporary loss of greater than 1/10 acre of waters of the United States.

### **2.3 Regional Modification Alternatives**

An important aspect for the NWPs is the emphasis on regional conditions to address differences in aquatic resource functions, services, and values across the nation. All Corps divisions and districts are expected to add regional conditions to the NWPs to enhance protection of the aquatic environment and address local concerns. Division engineers can also revoke an NWP if the use of that NWP results in more than minimal adverse effects on the aquatic environment, especially in high value or unique wetlands and other waters.

Corps divisions and districts also monitor and analyze the cumulative adverse effects of the NWPs, and if warranted, further restrict or prohibit the use of the NWPs to ensure that the NWPs do not authorize activities that result in more than minimal adverse effects on the aquatic environment. To the extent practicable, division and district engineers will use regulatory automated information systems and institutional knowledge about the typical adverse effects of activities authorized by NWPs, as well as substantive public comments, to assess the individual and cumulative adverse effects on the aquatic environment resulting from regulated activities. When conducting such assessments, division and district engineers can only consider those activities regulated by the Corps under Section 10 of the Rivers and Harbors Act, Section 404 of the Clean Water Act, and Section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972. Adverse impacts resulting from activities outside of the Corps scope of review, such as the construction or expansion of upland developments, cannot be considered in the Corps analysis of cumulative adverse effects on the aquatic environment.

### **2.4 Case-specific On-site Alternatives**

Although the terms and conditions for this NWP have been established at the national level to authorize most activities that have minimal adverse effects on the aquatic environment, division and district engineers have the authority to impose case-specific special conditions on an NWP authorization to ensure that the authorized work will result in minimal adverse effects.

General condition 20 requires the permittee to minimize and avoid impacts to waters of the United States to the maximum extent practicable on the project site. Off-site alternatives cannot be considered for activities authorized by NWPs. During the evaluation of a pre-construction notification, the district engineer may determine that additional avoidance and minimization is practicable. The district engineer may also condition the NWP authorization

to require compensatory mitigation to offset losses of waters of the United States and ensure that the net adverse effects on the aquatic environment are minimal. As another example, the NWP authorization can be conditioned to prohibit the permittee from conducting the work during specific times of the year to protect spawning fish and shellfish. If the proposed work will result in more than minimal adverse effects on the aquatic environment, then the district engineer will exercise discretionary authority and require an individual permit. Discretionary authority can be asserted where there are concerns for the aquatic environment, including high value aquatic habitats. The individual permit review process requires a project-specific alternatives analysis, including the consideration of off-site alternatives, and a public interest review.

### **3.0 Affected Environment**

The affected environment consists of terrestrial and aquatic ecosystems. The total land area in the contiguous United States is approximately 1,930,000,000 acres (Dahl 2006). Alaska is 366,050,000 acres in size and Hawaii is 4,110,720 acres in size (source: <http://www.usgs.gov/state/> , accessed July 25, 2005). Terrestrial ecosystems comprise more than 93 percent of the contiguous United States and most are abundant compared to aquatic ecosystems, which make up the remainder (Dahl 2006). In the contiguous United States, approximately 67 percent of the land is privately owned, 31 percent is held by the United States government, and two percent is owned by state or local governments (Dale et al. 2000). Developed non-federal lands comprise 4.4 percent of the total land area of the contiguous United States (Dale et al. 2000).

The Federal Geographic Data Committee has established the Cowardin system developed by the U.S. Fish and Wildlife Service (USFWS) (Cowardin et al. 1979) as the national standard for wetland mapping, monitoring, and data reporting (Dahl 2006) (see also <http://www.fgdc.gov/standards/projects/FGDC-standards-projects/wetlands/fgdc-announce> , accessed April 3, 2006). The Cowardin system is a hierarchical system which describes various wetland and deepwater habitats, using structural characteristics such as vegetation, substrate, and water regime as defining characteristics. Wetlands are defined by vegetation type, soils, and flooding frequency. Deepwater habitats are permanently flooded areas located below the wetland boundary. In rivers and lakes, deepwater habitats are usually more than two meters deep.

There are five major systems in the Cowardin classification scheme: marine, estuarine, riverine, lacustrine, and palustrine (Cowardin et al. 1979). The marine system consists of open ocean on the continental shelf and its high energy coastline. The estuarine system consists of tidal deepwater habitats and adjacent tidal wetlands that are usually partially enclosed by land, but may have open connections to open ocean waters. The riverine system generally consists of all wetland and deepwater habitats located within a river channel. The lacustrine system generally consists of wetland and deepwater habitats located within a topographic depression or dammed river channel, with a total area greater than 20 acres. The palustrine system generally includes all non-tidal wetlands and wetlands located in tidal

areas with salinities less than 0.5 parts per thousand; it also includes ponds less than 20 acres in size. Approximately 95 percent of wetlands in the conterminous United States are freshwater wetlands, and the remaining 5 percent are estuarine or marine wetlands (Dahl 2006).

The Emergency Wetlands Resources Act of 1986 (Public Law 99-645) requires the USFWS to submit wetland status and trends reports to Congress (Dahl 2006). The latest status and trends report, which covers the period of 1998 to 2004, is summarized in Table 3.1.

**Table 3.1. Estimated aquatic resource acreages in the conterminous United States in 2004 (Dahl 2006).**

<b>Aquatic Habitat Category</b>	<b>Estimated Area in 2004 (acres)</b>
Marine	128,600
Estuarine intertidal non-vegetated	600,000
Estuarine intertidal vegetated	4,571,700
<b>All intertidal waters and wetlands</b>	<b>5,300,300</b>
Palustrine non-vegetated	6,633,900
Palustrine vegetated	95,819,800
• Palustrine emergent wetlands	26,147,000
• Palustrine forested wetlands	52,031,400
• Palustrine shrub wetlands	17,641,400
<b>All palustrine aquatic habitats</b>	<b>102,453,700</b>
Lacustrine deepwater habitats	16,773,400
Riverine deepwater habitats	6,813,300
Estuarine subtidal habitats	17,717,800
<b>All aquatic habitats</b>	<b>149,058,500</b>

The acreage of lacustrine deepwater habitats does not include the open waters of Great Lakes (Dahl 2006).

According to Hall et al. (1994), there are more than 204 million acres of wetlands and deepwater habitats in the State of Alaska, including approximately 174.7 million acres of wetlands. Wetlands and deepwater habitats comprise approximately 50.7 percent of the surface area in Alaska (Hall et al. 1994).

The National Resources Inventory (NRI) is a statistical survey conducted by the Natural Resources Conservation Service (NRCS) (2003) of natural resources on non-federal land in the United States. The NRCS defines non-federal land as privately owned lands, tribal and trust lands, and lands under the control of local and State governments. The land use determined by 2003 NRI is summarized in Table 3.2. The 2003 NRI estimates that there are

110,760,000 acres of palustrine and estuarine wetlands on non-Federal land and water areas in the United States (NRCS 2003).

**Table 3.2. The 2003 National Resources Inventory acreages for palustrine and estuarine wetlands on non-federal land, by land cover/use category (NRCS 2003).**

National Resources Inventory Land Cover/Use Category	Area of Palustrine and Estuarine Wetlands (acres)
cropland, pastureland, and Conservation Reserve Program land	16,730,000
forest land	65,440,000
rangeland	7,740,000
other rural land	15,800,000
developed land	1,590,000
water area	3,460,000
<b>Total</b>	110,760,000

The land cover/use categories used by the 2003 NRI are defined below (NRCS 2003). Croplands are areas used to produce crops adapted for harvest. Pastureland is land managed for livestock grazing, through the production of introduced forage plants. Conservation Reserve Program land is under a Conservation Reserve Program contract. Forest land is comprised of at least 10 percent single stem woody plant species that will be at least 13 feet tall at maturity. Rangeland is land on which plant cover consists mostly of native grasses, herbaceous plants, or shrubs suitable for grazing or browsing, and introduced forage plant species. Other rural land consists of farmsteads and other farm structures, field windbreaks, marshland, and barren land. Developed land is comprised of large urban and built-up areas (i.e., urban and built-up areas 10 acres or more in size), small built-up areas (i.e., developed lands 0.25 to 10 acres in size), and rural transportation land (e.g., roads, railroads, and associated rights-of-way outside urban and built-up areas). Water areas are comprised of waterbodies and streams that are permanent open waters.

Leopold, Wolman, and Miller (1964) estimated that there are approximately 3,250,000 miles of river and stream channels in the United States. This estimate is based on an analysis of 1:24,000 scale topographic maps, by stream order. This estimate does not include many small streams. Many small streams are not mapped on 1:24,000 scale U.S. Geological Survey topographic maps (Leopold 1994) or included in other analyses (Meyer and Wallace 2001). In a study of stream mapping in the southeastern United States, only 20% of the stream network was mapped on 1:24,000 scale topographic maps, and nearly none of the observed intermittent or ephemeral streams were indicated on those maps (Hansen 2001). For a 1:24,000 scale topographic map, the smallest tributary found by using 10-foot contour interval has drainage area of 0.7 square mile and length of 1,500 feet, and smaller channels are common throughout the United States (Leopold 1994). Due to the difficulty in mapping small streams, there are no accurate estimates of the total number of river or stream miles in

the conterminous United States that may be classified as “waters of the United States.”

The USFWS status and trends study does not assess the condition or quality of wetlands and deepwater habitats (Dahl 2006). The Nation’s aquatic resource base is underestimated by the USFWS status and trends study, the National Wetland Inventory (NWI), and studies that estimate the length or number of stream channels within watersheds (see above). The 2006 status and trends study does not include Alaska and Hawaii. The underestimate by the status and trends study and the NWI results from the minimum size of wetlands detected through remote sensing techniques and the difficulty of identifying certain wetland types through those remote sensing techniques. The NWI maps do not show small or linear wetlands (Tiner 1997) that may be directly impacted by activities authorized by NWP. For the latest USFWS status and trends study, most of the wetlands identified are larger than 2.5 acres, but the minimum size of detectable wetland varies by wetland type (Dahl 2006). Some wetland types less than one acre in size can be identified; the smallest wetland detected for the most recent status and trends report was 0.005 acre (Dahl 2006). Because of the limitations of remote sensing techniques, certain wetland types are not included in the USFWS status and trends study: seagrass beds, submerged aquatic vegetation, submerged reefs, certain types of forested wetlands, and emergent wetlands along the Pacific coast (Dahl 2006). Therefore, activities authorized by NWP will adversely affect a smaller proportion of the Nation’s wetland base than indicated by the wetlands acreage estimates provided in the most recent status and trends report, or the NWI maps for a particular region.

Not all of the Nation’s aquatic resources are subject to regulatory jurisdiction under Section 404 of the Clean Water Act. Waters of the United States subject to Section 404 of the Clean Water Act are defined at 33 CFR part 328. Some wetlands are not subject to Clean Water Act jurisdiction because they do not meet the criteria at Part 328. In its decision in *Solid Waste County of Northern Cook County v. U.S. Army Corps of Engineers*, 531 U.S. 159 (2001), the U.S. Supreme Court ruled that Clean Water Act jurisdiction does not apply to isolated, intrastate, non-navigable waters based on their use as habitat for migratory birds. Tiner (2003) estimated that in some areas of the country, the proportion of wetlands that are geographically isolated, and may not be subject to Clean Water Act jurisdiction is approximately 20 to 50 percent of the wetland area, and there are other areas where more than 50 percent of the wetlands are geographically isolated. Geographically isolated wetlands comprise a substantial proportion of the wetlands found in regions with arid, semi-arid, and semi-humid climates, as well as areas with karst topography (Tiner 2003). However, it is difficult to determine from maps or aerial photographs whether wetlands are hydrologically isolated from other waters, because there may be small surface hydrologic connections that are not included on those maps or detected by those photographs (Tiner 2003).

This NWP authorizes activities in all waters of the United States, including navigable waters. These waters are included in the marine, estuarine, palustrine, lacustrine, and riverine systems of the Cowardin classification system.

Wetland functions are the biophysical processes that occur within a wetland (King et al. 2000). Wetlands provide many functions, such as habitat for fish and shellfish, habitat for waterfowl and other wildlife, habitat for rare and endangered species, food production, plant production, flood conveyance, flood-peak reduction, flood storage, shoreline stabilization, water supply, ground water recharge, pollutant removal, sediment accretion, and nutrient uptake (NRC 1992).

Functions provided by streams include sediment transport, water transport, transport of nutrients and detritus, habitat for many species of plants and animals (including endangered or threatened species), and maintenance of biodiversity (NRC 1992). Streams also provide nutrient cycling functions, food web support, and transport organisms (Allan 1995).

Freshwater ecosystems provide services such as water for drinking, household uses, manufacturing, thermoelectric power generation, irrigation, and aquaculture; production of finfish, waterfowl, and shellfish; and non-extractive services, such as flood control, transportation, recreation (e.g., swimming and boating), pollution dilution, hydroelectric generation, wildlife habitat, soil fertilization, and enhancement of property values (Postel and Carpenter 1997).

Marine ecosystems provide a number of ecosystem services, including fish production; materials cycling (e.g., nitrogen, carbon, oxygen, phosphorous, and sulfur); transformation, detoxification, and sequestration of pollutants and wastes produced by humans; support of ocean-based recreation, tourism, and retirement industries; and coastal land development and valuation, including aesthetics related to living near the ocean (Peterson and Lubchenco 1997).

Activities authorized by this NWP will provide a wide variety of goods and services that are valued by society. For example, utility lines are important components of urban and rural infrastructure. They convey a variety of substances or products to people, such as water, fuel, and electricity. Utility lines are also essential for communication, including telephone lines, internet connections, and cable television. Utility lines are also important for the removal of wastes from residences, as well as commercial and institutional facilities.

## **4.0 Environmental Consequences**

### **4.1 General Evaluation Criteria**

This document contains a general assessment of the foreseeable effects of the individual activities authorized by this NWP, the anticipated cumulative effects of those activities, and the potential future losses of waters of the United States that are estimated to occur until the expiration date of the NWP. In the assessment of these individual and cumulative effects, the terms and limits of the NWP, notification requirements, and the standard NWP general conditions are considered. The supplementary documentation provided by division engineers will address how regional conditions affect the individual and cumulative effects

of the NWP.

The following evaluation comprises the NEPA analysis, the public interest review specified in 33 CFR 320.4(a)(1) and (2), and the impact analysis specified in Subparts C through F of the 404(b)(1) Guidelines (40 CFR Part 230).

The issuance of an NWP is based on a general assessment of the effects on public interest and environmental factors that are likely to occur as a result of using this NWP to authorize activities in waters of the United States. As such, this assessment must be speculative or predictive in general terms. Since NWPs authorize activities across the nation, projects eligible for NWP authorization may be constructed in a wide variety of environmental settings. Therefore, it is difficult to predict all of the indirect impacts that may be associated with each activity authorized by an NWP. For example, the NWP that authorizes 25 cubic yard discharges of dredged or fill material into waters of the United States may be used to fulfill a variety of project purposes. Indication that a factor is not relevant to a particular NWP does not necessarily mean that the NWP would never have an effect on that factor, but that it is a factor not readily identified with the authorized activity. Factors may be relevant, but the adverse effects on the aquatic environment are negligible, such as the impacts of a boat ramp on water level fluctuations or flood hazards. Only the reasonably foreseeable direct or indirect effects are included in the environmental assessment for this NWP.

Division and district engineers will impose, as necessary, additional conditions on the NWP authorization or exercise discretionary authority to address locally important factors or to ensure that the authorized activity results in no more than minimal individual and cumulative adverse effects on the aquatic environment. In any case, adverse effects will be controlled by the terms, conditions, and additional provisions of the NWP. For example, Section 7 Endangered Species Act consultation will be required for activities that may affect endangered or threatened species or critical habitat.

## **4.2 Impact Analysis**

This NWP authorizes the construction, maintenance, repair, or removal of utility lines and associated facilities in waters of the United States. The acreage limit for this NWP is 1/2 acre.

Pre-construction notification is required if: (1) the activity involves mechanized land clearing in a forested wetland for the utility line right-of-way; (2) a section 10 permit is required; (3) the utility line in waters of the United States, excluding overhead lines, exceeds 500 feet; (4) the utility line is placed within a jurisdictional area (i.e., water of the United States), and it runs parallel to a stream bed that is within that jurisdictional area; (5) discharges that result in the loss of greater than 1/10-acre of waters of the United States; (6) permanent access roads are constructed above grade in waters of the United States for a distance of more than 500 feet; or (7) permanent access roads are constructed in waters of the United States with impervious materials. The pre-construction notification requirement allows district engineers to review proposed activities on a case-by-case basis to ensure that the adverse effects of those activities on the aquatic environment are minimal. If the district

engineer determines that the adverse effects of a particular project are more than minimal after considering mitigation, then discretionary authority will be asserted and the applicant will be notified that another form of DA authorization, such as a regional general permit or individual permit, is required (see 33 CFR 330.4(e) and 330.5).

Additional conditions can be placed on proposed activities on a regional or case-by-case basis to ensure that the work has minimal adverse effects on the aquatic environment. Regional conditioning of this NWP will be used to account for differences in aquatic resource functions, services, and values across the country, ensure that the NWP authorizes only those activities with minimal individual or cumulative adverse effects on the aquatic environment, and allow each Corps district to prioritize its workload based on where its efforts will best serve to protect the aquatic environment. Regional conditions can prohibit the use of an NWP in certain waters (e.g., high value waters or specific types of wetlands or waters), lower notification thresholds, or require notification for all work in certain watersheds or types of waters. Specific NWPs can also be revoked on a geographic or watershed basis where the adverse effects resulting from the use of those NWPs are more than minimal.

In high value waters, division and district engineers can: 1) prohibit the use of the NWP in those waters and require an individual permit or regional general permit; 2) decrease the acreage limit for the NWP; 3) lower the notification threshold of the NWP to require notification for activities with smaller impacts in those waters; 4) require notification for all activities in those waters; 5) add regional conditions to the NWP to ensure that the adverse environmental effects are minimal; or 6) for those activities that require notification, add special conditions to NWP authorizations, such as compensatory mitigation requirements, to ensure that the adverse effects on the aquatic environment are minimal. NWPs can authorize activities in high value waters as long as the individual and cumulative adverse effects on the aquatic environment are minimal.

The construction and use of fills for temporary access for construction may be authorized by NWP 33 or regional general permits issued by division or district engineers. The related work must meet the terms and conditions of the specified permit(s). If the discharge is dependent on portions of a larger project that require an individual permit, this NWP will not apply. [See 33 CFR 330.6(c) and (d)]

### **4.3 Cumulative Impacts**

The cumulative impacts of an NWP generally depends on the number of times the permit is used on a national basis. However, in a specific watershed, division or district engineers may determine that the cumulative adverse effects of activities authorized by NWPs are more than minimal. Division and district engineers will conduct more detailed assessments for geographic areas that are determined to be potentially subject to more than minimal cumulative adverse effects. Division and district engineers have the authority to require individual permits where the cumulative adverse effects are more than minimal, or add conditions to the NWP either on a case-by-case or regional basis to ensure that the

cumulative adverse effects are minimal. When division or district engineers determine that a geographic area is subject to more than minimal cumulative adverse effects due to the use of the NWP, they will use the revocation and modification procedure at 33 CFR 330.5. In reaching the final decision, they will compile information on the cumulative adverse effects and supplement this document.

Based on reported use of this NWP during fiscal year 2003 and the period of July 1, 2005 to June 30, 2006, a survey of its district offices, and estimates of unreported use, the Corps estimates that this NWP will be used approximately 13,515 times per year on a national basis, resulting in impacts to approximately 773 acres of waters of the United States, including jurisdictional wetlands. The Corps estimates that approximately 1,276 acres of compensatory mitigation will be required to offset these impacts. The demand for these types of activities could increase or decrease over the five-year duration of this NWP. Using the current trend, approximately 67,575 activities could be authorized over a five year period until this NWP expires, resulting in impacts to approximately 3,865 acres of waters of the United States, including jurisdictional wetlands. Approximately 6,380 acres of compensatory mitigation would be required to offset those impacts. The required compensatory mitigation will attenuate cumulative impacts on the Nation's aquatic resources, so that the net effects on the aquatic environment resulting from the activities authorized by this NWP will be minimal. The Corps expects that the convenience and time savings associated with the use of this NWP will encourage applicants to design their projects within the scope of the NWP rather than request individual permits for projects which could result in greater adverse impacts to the aquatic environment.

## **5.0 Public Interest Review**

### **5.1 Public Interest Review Factors (33 CFR 320.4(a)(1))**

For each of the 20 public interest review factors, the extent of the Corps consideration of expected impacts resulting from the use of this NWP is discussed, as well as the reasonably foreseeable cumulative adverse effects that are expected to occur. The Corps decision process involves consideration of the benefits and detriments that may result from the activities authorized by this NWP.

(a) Conservation: The activities authorized by this NWP may modify the natural resource characteristics of the project area. Compensatory mitigation, if required for activities authorized by this NWP, will result in the restoration, enhancement, establishment, or preservation of aquatic habitats that will offset losses to conservation values. The adverse effects of activities authorized by this NWP on conservation will be minor.

(b) Economics: Utility line activities will have positive impacts on the local economy. During construction, these activities will generate jobs and revenue for local contractors as well as revenue to building supply companies that sell construction materials. Utility lines provide energy, potable water, telecommunications, and other services to residences and

schools, as well as factories, offices, stores, and other places of business, to allow those facilities to operate.

(c) Aesthetics: Utility line activities will alter the visual character of some waters of the United States. The extent and perception of these changes will vary, depending on the size and configuration of the activity, the nature of the surrounding area, and the public uses of the area. Utility line activities authorized by this NWP can also modify other aesthetic characteristics, such as air quality and the amount of noise. The increased human use of the project area and surrounding land will also alter local aesthetic values.

(d) General environmental concerns: Activities authorized by this NWP will affect general environmental concerns, such as water, air, noise, and land pollution. The authorized work will also affect the physical, chemical, and biological characteristics of the environment. The adverse effects of the activities authorized by this NWP on general environmental concerns will be minor. Adverse effects to the chemical composition of the aquatic environment will be controlled by general condition 6, which states that the material used for construction must be free from toxic pollutants in toxic amounts. General condition 20 requires mitigation to minimize adverse effects to the aquatic environment through avoidance and minimization at the project site. Compensatory mitigation may be required by district engineers to ensure that the net adverse effects on the aquatic environment are minimal. Specific environmental concerns are addressed in other sections of this document.

(e) Wetlands: The construction, maintenance, repair, or removal of utility lines and associated facilities may result in the destruction of wetlands. For the construction or maintenance of utility lines impacts to wetlands will be temporary, unless the site contains forested wetlands. The construction of utility line substations will result in the permanent loss of wetlands. Wetlands may also be converted to other uses and habitat types. Forested wetlands will not be allowed to grow back in the utility line right-of-way so that the utility line will not be damaged and can be easily maintained. Only shrubs and herbaceous plants will be allowed to grow in the right-of-way. Some wetlands may be temporarily impacted by the work when used as temporary staging areas. These wetlands will be restored, unless the district engineer authorizes another use for the area, but the plant community may be different, especially if the site was originally forested.

Wetlands provide habitat, including foraging, nesting, spawning, rearing, and resting sites for aquatic and terrestrial species. The destruction of wetlands may alter natural drainage patterns. Wetlands reduce erosion by stabilizing the substrate. Wetlands also act as storage areas for stormwater and flood waters. Wetlands may act as groundwater discharge or recharge areas. The loss of wetland vegetation will adversely affect water quality because these plants trap sediments, pollutants, and nutrients and transform chemical compounds. Wetland vegetation also provides habitat for microorganisms that remove nutrients and pollutants from water. Wetlands, through the accumulation of organic matter, act as sinks for some nutrients and other chemical compounds, reducing the amounts of these substances in the water.

General condition 20 requires avoidance and minimization of impacts to waters of the United States, including wetlands, at the project site. Compensatory mitigation may be required to offset losses of waters of the United States so that the net adverse effects on the aquatic environment are minimal. General condition 19 prohibits the use of this NWP to discharge dredged or fill material in designated critical resource waters and adjacent wetlands, which may include high value wetlands. Division engineers can regionally condition this NWP to restrict or prohibit its use in high value wetlands. District engineers will also exercise discretionary authority to require an individual permit if high value wetlands will be affected by the work and the work will result in more than minimal adverse effects on the aquatic environment. District engineers can also add case-specific special conditions to the NWP authorization to reduce impacts to wetlands or require compensatory mitigation to offset losses of wetlands.

(f) Historic properties: General condition 18 states that in cases where the district engineer determines that the activity may affect properties listed, or eligible for listing, in the National Register of Historic Places, the activity is not authorized, until the requirements of Section 106 of the National Historic Preservation Act have been satisfied.

(g) Fish and wildlife values: This NWP authorizes certain utility line activities in all waters of the United States. Discharges of dredged or fill material into waters of the United States for the construction of utility line substations is limited to non-tidal waters, excluding non-tidal waters adjacent to tidal waters. Waters of the United States provide habitat to many species of fish and wildlife. Activities authorized by this NWP may alter the habitat characteristics of streams, wetlands, and other waters of the United States, decreasing the quantity and quality of fish and wildlife habitat. The construction of utility line right-of-ways may fragment existing habitat and increase the amount of edge habitat in the area, causing changes in local species composition. Wetland, riparian, and estuarine vegetation provides food and habitat for many species, including foraging areas, resting areas, corridors for wildlife movement, and nesting and breeding grounds. Open waters provide habitat for fish and other aquatic organisms. Fish and other motile animals will avoid the project site during construction and maintenance. Woody riparian vegetation shades streams, which reduces water temperature fluctuations and provides habitat for fish and other aquatic animals. Riparian and estuarine vegetation provides organic matter that is consumed by fish and aquatic invertebrates. Woody riparian vegetation creates habitat diversity in streams when trees and large shrubs fall into the channel, forming snags that provide habitat and shade for fish. The morphology of a stream channel may be altered by activities authorized by this NWP, which can affect fish populations. However, pre-construction notification is required for certain activities authorized by this NWP, which provides district engineers with opportunities to review those activities, assess potential impacts on fish and wildlife values, and ensure that the authorized work results in minimal adverse effects on the aquatic environment. Compensatory mitigation may be required by district engineers to restore, enhance, establish, and/or preserve wetlands and other aquatic habitats to offset losses of waters of the United States. The establishment and maintenance of riparian areas next to open and flowing waters may also be required as compensatory mitigation. These methods of compensatory mitigation will provide fish and wildlife habitat values.

General condition 2 will reduce adverse effects to fish and other aquatic species by prohibiting activities that substantially disrupt the necessary life cycle movements of indigenous aquatic species, unless the primary purpose of the activity is to impound water. Compliance with general conditions 3 and 5 will ensure that the authorized work has minimal adverse effects on spawning areas and shellfish beds, respectively. The authorized work cannot have more than minimal adverse effects on breeding areas for migratory birds, due to the requirements of general condition 4.

Consultation pursuant to the essential fish habitat provisions of the Magnuson-Stevens Fishery Conservation and Management Act will occur as necessary for proposed NWP activities that may adversely affect essential fish habitat. Consultation may occur on a case-by-case or programmatic basis. Division and district engineers can impose regional and special conditions to ensure that activities authorized by this NWP will result in minimal adverse effects on essential fish habitat.

(h) Flood hazards: The activities authorized by this NWP may affect the flood-holding capacity of the 100-year floodplain, including surface water flow velocities. Changes in the flood-holding capacity of the 100-year floodplain may impact human health, safety, and welfare. Compliance with general condition 9 will reduce flood hazards. This general condition requires the permittee to maintain, to the maximum extent practicable, the pre-construction course, condition, capacity, and location of open waters, except under certain circumstances. General condition 10 requires the activity to comply with applicable FEMA-approved state or local floodplain management requirements. Much of the land area within 100-year floodplains is upland, and outside of the Corps scope of review.

(i) Floodplain values: Activities authorized by this NWP may adversely affect the flood-holding capacity of the floodplain, as well as other floodplain values. The fish and wildlife habitat values of floodplains will be adversely affected by activities authorized by this NWP, by modifying or eliminating areas used for nesting, foraging, resting, and reproduction. The water quality functions of floodplains may also be adversely affected by these activities. Modification of the floodplain may also adversely affect other hydrological processes, such as groundwater recharge.

Compensatory mitigation may be required for activities authorized by this NWP, which will offset losses of waters of the United States and provide water quality functions and wildlife habitat. General condition 20 requires avoidance and minimization of impacts to waters of the United States to the maximum extent practicable at the project site, which will reduce losses of floodplain values. The requirements of general condition 20 will minimize adverse effects to floodplain values, such as flood storage capacity, wildlife habitat, fish spawning areas, and nutrient cycling for aquatic ecosystems. Compliance with general condition 10 will ensure that activities in 100-year floodplains will not cause more than minimal adverse effects on flood storage and conveyance.

(j) Land use: Activities authorized by this NWP will often change the land use from natural to developed. The installation of utility lines may induce more development in the vicinity of the project. Since the primary responsibility for land use decisions is held by state, local, and Tribal governments, the Corps scope of review is limited to significant issues of overriding national importance, such as navigation and water quality (see 33 CFR 320.4(j)(2)).

(k) Navigation: Activities authorized by this NWP must comply with general condition 1, which states that no activity may cause more than minimal adverse effects on navigation. This NWP requires notification for all work in section 10 waters, which will allow district engineers to review the notification and determine if the proposed work will adversely affect navigation.

(l) Shore erosion and accretion: The activities authorized by this NWP will have minor direct effects on shore erosion and accretion processes, since the NWP does not authorize the construction of utility line substations in tidal waters. The construction of utility lines and foundations for overhead utility line towers, poles, and anchors, will have minimal adverse effects on shore erosion and accretion. However, NWP 13, regional general permits, or individual permits may be used to authorize bank stabilization projects associated with utility line activities, which may affect shore erosion and accretion.

(m) Recreation: Activities authorized by this NWP may change the recreational uses of the area. Certain recreational activities, such as bird watching, hunting, and fishing may no longer be available in the area. Some utility line activities may eliminate certain recreational uses of the area.

(n) Water supply and conservation: Activities authorized by this NWP may adversely affect both surface water and groundwater supplies. Activities authorized by this NWP can also affect the quality of water supplies by adding pollutants and toxic chemicals to surface waters and groundwater, but many causes of water pollution, such as discharges regulated under Section 402 of the Clean Water Act, are outside the Corps scope of review. Some water pollution concerns can be addressed through the water quality management measures that may be required for activities authorized by this NWP. The quantity and quality of local water supplies may be enhanced through the construction of water treatment facilities. Division and district engineers can prohibit the use of this NWP in watersheds for public water supplies, if it is in the public interest to do so. General condition 7 prohibits discharges in the vicinity of public water supply intakes. Compensatory mitigation required for activities authorized by this NWP may help improve the quality of surface waters.

(o) Water quality: Utility line activities in wetlands and open waters may have adverse effects on water quality. These activities can result in increases in sediments and pollutants in the water. The loss of wetland and riparian vegetation will adversely affect water quality because these plants trap sediments, pollutants, and nutrients and transform chemical compounds. Wetland and riparian vegetation also provides habitat for microorganisms that remove nutrients and pollutants from water. Wetlands, through the accumulation of organic

matter, act as sinks for some nutrients and other chemical compounds, reducing the amounts of these substances in the water column. Wetlands and riparian areas also decrease the velocity of flood waters, removing suspended sediments from the water column and reducing turbidity. Riparian vegetation also serves an important role in the water quality of streams by shading the water from the intense heat of the sun. Compensatory mitigation may be required for activities authorized by this NWP, to ensure that the work does not have more than minimal adverse effects on the aquatic environment, including water quality. Wetlands and riparian areas restored, established, enhanced, or preserved as compensatory mitigation may provide local water quality benefits.

During the construction, maintenance, and repair of utility lines and related activities, small amounts of oil and grease from construction equipment may be discharged into the waterway. Because most of the construction will occur during a relatively short period of time, the frequency and concentration of these discharges are not expected to have more than minimal adverse effects on overall water quality.

This NWP may require Section 401 water quality certification, since it authorizes discharges of dredged or fill material into waters of the United States. Most water quality concerns are addressed by the State or Tribal Section 401 agency. In accordance with general condition 20, the permittee may be required to implement water quality management measures to minimize the degradation of water quality. Water quality management measures may involve the installation of stormwater management facilities to trap pollutants and the establishment and maintenance of riparian areas next to waters of the United States. Riparian areas help protect downstream water quality and enhance aquatic habitat.

(p) Energy needs: The utility line activities authorized by this NWP may induce higher rates of energy consumption in the area by making electricity, natural gas, and petroleum products more readily available to consumers. Additional power plants or oil refineries may be needed to meet increases in energy demand, but these issues are beyond the Corps scope of review. This NWP may be used to authorize the expansion of existing infrastructure to provide energy to new developments.

(q) Safety: The utility line activities authorized by this NWP will be subject to Federal, state, and local safety laws and regulations. Therefore, this NWP will not adversely affect the safety of the project area.

(r) Food and fiber production: Activities authorized by this NWP may adversely affect food and fiber production, especially when utility line activities are constructed on agricultural land. Utility line activities usually require easements, which may take some agricultural land out of production. These activities may reduce the amount of available farmland in the nation, unless that land is replaced by converting other land, such as forest, to agricultural land. The loss of farmland is more appropriately addressed through the land use planning and zoning authority held by state and local governments. Food production may be increased by activities authorized by this NWP. For example, this NWP can authorize the construction or expansion of utility lines that provide energy, water, and other services to

commercial food production facilities, such as bakeries, canneries, and meat processing plants.

(s) Mineral needs: Activities authorized by this NWP may increase demand for aggregates and stone, which may be used to construct utility lines, substations, and foundations for overhead utility line towers. Utility lines authorized by this NWP may increase the demand for other building materials, such as steel, aluminum, and copper, which are made from mineral ores.

(t) Considerations of property ownership: The NWP complies with 33 CFR 320.4(g), which states that an inherent aspect of property ownership is a right to reasonable private use. The NWP provides expedited DA authorization for utility line activities, provided those activities comply with the terms and conditions of the NWP and result in minimal adverse effects on the aquatic environment.

## **5.2 Additional Public Interest Review Factors (33 CFR 320.4(a)(2))**

### 5.2.1 Relative extent of the public and private need for the proposed structure or work

This NWP authorizes the construction, maintenance, repair, and removal of utility lines and associated facilities, provided those activities have minimal adverse effects on the aquatic environment, individually and cumulatively. These activities satisfy public and private needs for the conveyance of a variety of substances, as well as communications and information transfer. The need for this NWP is based upon the large number of these activities that occur annually with minimal adverse effects on the aquatic environment.

### 5.2.2 Where there are unresolved conflicts as to resource use, the practicability of using reasonable alternative locations and methods to accomplish the objective of the proposed structure or work

Most situations in which there are unresolved conflicts concerning resource use arise when environmentally sensitive areas are involved (e.g., special aquatic sites, including wetlands) or where there are competing uses of a resource. The nature and scope of the activity, when planned and constructed in accordance with the terms and conditions of this NWP, reduce the likelihood of such conflict. In the event that there is a conflict, the NWP contains provisions that are capable of resolving the matter (see Section 1.2 of this document).

General condition 20 requires permittees to avoid and minimize adverse effects to waters of the United States to the maximum extent practicable on the project site. Consideration of off-site alternative locations is not required for activities that are authorized by general permits. General permits authorize activities that have minimal individual and cumulative adverse effects on the aquatic environment and overall public interest. District engineers will exercise discretionary authority and require an individual permit if the proposed work will result in more than minimal adverse environmental effects on the project site. The consideration of off-site alternatives can be required during the individual permit process.

5.2.3 The extent and permanence of the beneficial and/or detrimental effects which the proposed structure or work is likely to have on the public and private uses to which the area is suited

The nature and scope of the work authorized by the NWP will most likely restrict the extent of the beneficial and detrimental effects to the area immediately surrounding the utility line activity. Activities authorized by this NWP will have minimal adverse effects on the aquatic environment.

The terms, conditions, and provisions of the NWP were developed to ensure that individual and cumulative adverse environmental effects are minimal. Specifically, NWPs do not obviate the need for the permittee to obtain other Federal, state, or local authorizations required by law. The NWPs do not grant any property rights or exclusive privileges (see 33 CFR 330.4(b) for further information). Additional conditions, limitations, restrictions, and provisions for discretionary authority, as well as the ability to add activity-specific or regional conditions to this NWP, will provide further safeguards to the aquatic environment and the overall public interest. There are also provisions to allow suspension, modification, or revocation of the NWP.

## **6.0 Clean Water Act Section 404(b)(1) Guidelines Analysis**

The 404(b)(1) compliance criteria for general permits are provided at 40 CFR 230.7.

### **6.1 Evaluation Process (40 CFR 230.7(b))**

#### 6.1.1 Alternatives (40 CFR 230.10(a))

General condition 20 requires permittees to avoid and minimize discharges of dredged or fill material into waters of the United States to the maximum extent practicable on the project site. The consideration of off-site alternatives is not directly applicable to general permits.

#### 6.1.2 Prohibitions (40 CFR 230.10(b))

This NWP authorizes discharges of dredged or fill material into waters of the United States, which require water quality certification. Water quality certification requirements will be met in accordance with the procedures at 33 CFR 330.4(c).

No toxic discharges will be authorized by this NWP. General condition 6 states that the material must be free from toxic pollutants in toxic amounts.

This NWP does not authorize activities that jeopardize the continued existence of any listed threatened or endangered species or result in the destruction or adverse modification of critical habitat. Reviews of preconstruction notifications, regional conditions, and local

operating procedures for endangered species will ensure compliance with the Endangered Species Act. Refer to general condition 17 and to 33 CFR 330.4(f) for information and procedures.

This NWP will not authorize the violation of any requirement to protect any marine sanctuary. Refer to section 6.2.3(j)(1) of this document for further information.

### 6.1.3 Findings of Significant Degradation (40 CFR 230.10(c))

Potential impact analysis (Subparts C through F): The potential impact analysis specified in Subparts C through F is discussed in section 6.2.3 of this document. Mitigation required by the district engineer will ensure that the adverse effects on the aquatic environment are minimal.

Evaluation and testing (Subpart G): Because the terms and conditions of the NWP specify the types of discharges that are authorized, as well as those that are prohibited, individual evaluation and testing for the presence of contaminants will normally not be required. If a situation warrants, provisions of the NWP allow division or district engineers to further specify authorized or prohibited discharges and/or require testing.

Based upon Subparts B and G, after consideration of Subparts C through F, the discharges authorized by this NWP will not cause or contribute to significant degradation of waters of the United States.

### 6.1.4 Factual determinations (40 CFR 230.11)

The factual determinations required in 40 CFR 230.11 are discussed in section 6.2.3 of this document.

### 6.1.5 Appropriate and practicable steps to minimize potential adverse impacts (40 CFR 230.10(d))

As demonstrated by the information in this document, as well as the terms, conditions, and provisions of this NWP, actions to minimize adverse effects (Subpart H) have been thoroughly considered and incorporated into the NWP. General condition 20 requires permittees to avoid and minimize discharges of dredged or fill material into waters of the United States to the maximum extent practicable on the project site. Compensatory mitigation required by the district engineer will ensure that the net adverse effects on the aquatic environment are minimal.

## **6.2 Evaluation Process (40 CFR 230.7(b))**

### 6.2.1 Description of permitted activities (40 CFR 230.7(b)(2))

As indicated by the text of this NWP in section 1.0 of this document, and the discussion of

potential impacts in section 4.0, the activities authorized by this NWP are sufficiently similar in nature and environmental impact to warrant authorization under a single general permit. Specifically, the purpose of the NWP is to authorize discharges of dredged or fill material into waters of the United States for the construction, maintenance, repair, or removal of utility lines and associated facilities. The nature and scope of the impacts are controlled by the terms and conditions of the NWP.

The activities authorized by this NWP are sufficiently similar in nature and environmental impact to warrant authorization by a general permit. The terms of the NWP authorize a specific category of activity (i.e., discharges of dredged or fill material for the construction, maintenance, repair, or removal of utility lines and associated facilities) in a specific category of waters (i.e., waters of the United States). The terms of the NWP do not authorize the construction of utility line substations in tidal waters or in non-tidal wetlands adjacent to tidal waters. The restrictions imposed by the terms and conditions of this NWP will result in the authorization of activities that have similar impacts on the aquatic environment, namely the replacement of aquatic habitats, such as certain categories of non-tidal wetlands, with utility line facilities. Most of the impacts relating to the construction, maintenance, repair, or removal of utility lines will be temporary.

If a situation arises in which the activity requires further review, or is more appropriately reviewed under the individual permit process, provisions of the NWPs allow division and/or district engineers to take such action.

#### 6.2.2 Cumulative effects (40 CFR 230.7(b)(3))

The cumulative effects, including the number of activities likely to be authorized under this NWP, are discussed in section 4.3 of this document. If a situation arises in which the proposed activity requires further review, or is more appropriately reviewed under the individual permit process, provisions of the NWPs allow division and/or district engineers to take such action.

#### 6.2.3 Section 404(b)(1) Guidelines Impact Analysis, Subparts C through F

(a) Substrate: Discharges of dredged or fill material into waters of the United States will alter the substrate of those waters, usually replacing the aquatic area with dry land, and changing the physical, chemical, and biological characteristics of the substrate. The original substrate will be removed or covered by other material, such as concrete, asphalt, soil, gravel, etc. Temporary fills may be placed upon the substrate, but must be removed upon completion of the work (see general condition 13). Higher rates of erosion may result during construction, but general condition 12 requires the use of appropriate measures to control soil erosion and sediment.

(b) Suspended particulates/turbidity: Depending on the method of construction, soil erosion and sediment control measures, equipment, composition of the bottom substrate, and wind and current conditions during construction, fill material placed in open waters will

temporarily increase water turbidity. Pre-construction notification is required for certain activities authorized by this NWP, which allows the district engineer to review those activities and ensure that the adverse effects on the aquatic environment are minimal. Particulates will be resuspended in the water column during removal of temporary fills. The turbidity plume will normally be limited to the immediate vicinity of the disturbance and should dissipate shortly after each phase of the construction activity. General condition 12 requires the permittee to stabilize exposed soils and other fills, which will reduce turbidity. In many localities, sediment and erosion control plans are required to minimize the entry of soil into the aquatic environment. NWP activities cannot create turbidity plumes that smother important spawning areas downstream (see general condition 3).

(c) Water: Utility line activities can affect some characteristics of water, such as water clarity, chemical content, dissolved gas concentrations, pH, and temperature. The construction of utility lines, and utility line substations can change the chemical and physical characteristics of the waterbody by introducing suspended or dissolved chemical compounds or sediments into the water. Changes in water quality can affect the species and quantities of organisms inhabiting the aquatic area. Water quality certification is required for most activities authorized by this NWP, which will ensure that the work does not violate applicable water quality standards. Permittees may be required to implement water quality management measures to ensure that the authorized work does not result in more than minimal degradation of water quality. Stormwater management facilities may be required to prevent or reduce the input of harmful chemical compounds into the waterbody. The district engineer may require the establishment and maintenance of riparian areas next to open waters, such as streams. Riparian areas help improve or maintain water quality, by removing nutrients, moderating water temperature changes, and trapping sediments.

(d) Current patterns and water circulation: Activities authorized by this NWP may adversely affect the movement of water in the aquatic environment. Certain utility line activities require notification to the district engineer, to ensure that adverse effects to current patterns and water circulation are minimal. General condition 9 requires the authorized activity to be designed to withstand expected high flows and to maintain the course, condition, capacity, and location of open waters to the maximum extent practicable. General condition 10 requires activities to comply with applicable FEMA-approved state or local floodplain management requirements, which will reduce adverse effects to surface water flows.

(e) Normal water level fluctuations: The activities authorized by this NWP will have negligible adverse effects on normal patterns of water level fluctuations due to tides and flooding. Most utility lines will have little effect on normal water level fluctuations because they occupy a small proportion of the land surface or are installed under the surface of the substrate. General condition 9 requires the permittee to maintain the pre-construction course, condition, capacity, and location of open waters, to the maximum extent practicable. To ensure that the NWP does not authorize activities that adversely affect normal flooding patterns, general condition 10 requires NWP activities to comply with applicable FEMA-approved state or local floodplain management requirements.

(f) Salinity gradients: The activities authorized by this NWP are unlikely to adversely affect salinity gradients, unless the utility line activity is associated with an outfall structure that will release freshwater into marine or estuarine waters, thereby reducing the salinity of those waters in the vicinity of the outfall structure. These adverse effects are likely to be minimal.

(g) Threatened and endangered species: The Corps believes that the procedures currently in place result in proper coordination under Section 7 of the Endangered Species Act (ESA) and ensure that activities authorized by this NWP will not jeopardize the continued existence of any listed threatened and endangered species or result in the destruction or adverse modification of critical habitat. The Corps also believes that current local procedures in Corps districts are effective in ensuring compliance with ESA.

Under general condition 17, no activity is authorized under any NWP which “may affect” a listed species or critical habitat, unless Section 7 consultation addressing the effects of the proposed activity has been completed.

Each activity authorized by an NWP is subject to general condition 17, which states that “[n]o activity is authorized under any NWP which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will destroy or adversely modify the critical habitat of such species.” In addition, general condition 17 explicitly states that the NWP does not authorize the taking of threatened or endangered species, which will ensure that permittees do not mistake the NWP authorization as a Federal authorization to take threatened or endangered species. General condition 17 also requires non-federal permittees to notify the district engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the project is located in designated critical habitat. This general condition also states that, in such cases, non-federal permittees shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized.

Under the current Corps regulations (33 CFR 325.2(b)(5)), the district engineer must review all permit applications for potential impacts on threatened and endangered species or critical habitat. For the NWP program, this review occurs when the district engineer evaluates the pre-construction notification or request for verification. Based on the evaluation of all available information, the district engineer will initiate consultation with the U.S. Fish and Wildlife Service (USFWS) or National Marine Fisheries Service (NMFS), as appropriate, if he or she determines that the regulated activity may affect any threatened and endangered species or critical habitat. Consultation may occur during the NWP authorization process or the district engineer may exercise discretionary authority to require an individual permit for the proposed activity and initiate consultation through the individual permit process. If ESA consultation is conducted during the NWP authorization process without the district engineer exercising discretionary authority, then the applicant will be notified that he or she cannot proceed with the proposed activity until ESA consultation is complete. If the district engineer determines that the activity will have no effect on any threatened and endangered

species or critical habitat, then the district engineer will notify the applicant that he or she may proceed under the NWP authorization.

Corps districts have, in most cases, established informal or formal procedures with local offices of the USFWS and NMFS, through which the agencies share information regarding threatened and endangered species and their critical habitat. This information helps district engineers determine if a proposed activity may affect endangered species or their critical habitat and, if necessary, initiate consultation. Corps districts may utilize maps or databases that identify locations of populations of threatened and endangered species and their critical habitat. Where necessary, regional conditions are added to NWPs to require notification for activities that occur in known locations of threatened and endangered species or critical habitat. For activities that require agency coordination during the pre-construction notification process, the USFWS and NMFS will review the proposed work for potential impacts to threatened and endangered species and their critical habitat. Any information provided by local maps and databases and any comments received during the pre-construction notification review process will be used by the district engineer to make a “no effect” or “may affect” decision.

Based on the safeguards discussed above, especially general condition 17 and the NWP regulations at 33 CFR 330.5(f), the Corps has determined that the activities authorized by this NWP will not jeopardize the continued existence of any listed threatened or endangered species or result in the destruction or adverse modification of designated critical habitat. Although the Corps continues to believe that these procedures ensure compliance with ESA, the Corps has taken some steps to provide further assurance. Corps district offices have met with local representatives of the USFWS and NMFS to establish or modify existing procedures, where necessary, to ensure that the Corps has the latest information regarding the existence and location of any threatened or endangered species or their critical habitat. Corps districts can also establish, through local procedures or other means, additional safeguards that ensure compliance with ESA. Through formal consultation under Section 7 of the Endangered Species Act, or through other coordination with the USFWS and/or the NMFS, as appropriate, the Corps will establish procedures to ensure that the NWP will not jeopardize any threatened and endangered species or result in the destruction or adverse modification of designated critical habitat. Such procedures may result in the development of regional conditions added to the NWP by the division engineer, or in special conditions to be added to an NWP authorization by the district engineer.

(h) Fish, crustaceans, molluscs, and other aquatic organisms in the food web. Certain activities authorized by this NWP require notification to the district engineer, which will allow review of those projects to ensure that adverse effects to fish and other aquatic organisms in the food web are minimal. Fish and other motile animals will avoid the project site during construction. Sessile or slow-moving animals in the path of discharges, equipment, and building materials will be destroyed. Some aquatic animals may be smothered by the placement of fill material. Motile animals will return to those areas that are temporarily impacted by the work and restored or allowed to revert back to preconstruction conditions. Aquatic animals will not return to sites of permanent fills.

Benthic and sessile animals are expected to recolonize sites temporarily impacted by the work, after those areas are restored. Activities that alter the riparian zone, especially floodplains, may adversely affect populations of fish and other aquatic animals, by altering stream flow, flooding patterns, and surface and groundwater hydrology.

Division and district engineers can place conditions on this NWP to prohibit discharges during important stages of the life cycles of certain aquatic organisms. Such time of year restrictions can prevent adverse effects to these aquatic organisms during reproduction and development periods. General conditions 3 and 5 address protection of spawning areas and shellfish beds, respectively. General condition 3 states that activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. In addition, general condition 3 also prohibits activities that result in the physical destruction of important spawning areas. General condition 5 prohibits activities in areas of concentrated shellfish populations. General condition 9 requires the maintenance of pre-construction course, condition, capacity, and location of open waters to the maximum extent practicable, which will help minimize adverse impacts to fish, shellfish, and other aquatic organisms in the food web.

(i) Other wildlife: Activities authorized by this NWP will result in adverse effects to other wildlife associated with aquatic ecosystems, such as resident and transient mammals, birds, reptiles, and amphibians, through the destruction of aquatic habitat, including breeding and nesting areas, escape cover, travel corridors, and preferred food sources. This NWP does not authorize activities that jeopardize the continued existence of Federally-listed endangered and threatened species or result in the destruction or adverse modification of critical habitat. Compensatory mitigation, including the establishment and maintenance of riparian areas next to open waters, may be required for activities authorized by this NWP, which will help offset losses of aquatic habitat for wildlife. General condition 4 states that activities in breeding areas for migratory birds must be avoided to the maximum extent practicable.

(j) Special aquatic sites: The potential impacts to specific special aquatic sites are discussed below:

(1) Sanctuaries and refuges: The activities authorized by this NWP will have minimal adverse effects on waters of the United States within sanctuaries or refuges designated by Federal or state laws or local ordinances. General condition 19 prohibits the use of this NWP to discharge dredged or fill material in NOAA-designated marine sanctuaries, National Estuarine Research Reserves, coral reefs, state natural heritage sites, and outstanding national resource waters. District engineers will exercise discretionary authority and require individual permits for specific projects in waters of the United States in sanctuaries and refuges if those activities will result in more than minimal adverse effects on the aquatic environment.

(2) Wetlands: The activities authorized by this NWP will have minimal adverse effects on wetlands. District engineers will review notifications for certain activities authorized by this NWP to ensure that the adverse effects on the aquatic environment are

minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in certain high value wetlands. See paragraph (e) of section 5.1 for a more detailed discussion of impacts to wetlands.

(3) Mud flats: The activities authorized by this NWP will have minor adverse effects on mud flats. Small portions of mud flats may be destroyed by the installation of utility lines, but these adverse effects will be minimal. Pre-construction notification is required for certain activities authorized by this NWP and the notification must include a delineation of special aquatic sites, including mud flats.

(4) Vegetated shallows: The activities authorized by this NWP will have minimal adverse effects on vegetated shallows in tidal waters, since only utility lines and foundations for overhead utility line towers, poles, and anchors can be constructed in tidal waters that may be inhabited by submerged aquatic vegetation. District engineers will receive pre-construction notifications for all utility line activities in section 10 waters to determine if those activities will result in minimal adverse effects on the aquatic environment. Division engineers can regionally condition this NWP to restrict or prohibit its use in non-tidal vegetated shallows. For those activities that require notification, the district engineer will review the proposed work and may exercise discretionary authority to require the project proponent to obtain an individual permit if the work will result in more than minimal adverse effects on the aquatic environment.

(5) Coral reefs: The activities authorized by this NWP may affect coral reefs. The activities authorized by this NWP will have minimal adverse effects on coral reefs. Pre-construction notification is required for all section 10 activities authorized by this NWP, so that the district engineer can review the proposed work and ensure that it results in minimal adverse effects. If the proposed work will result in more than minimal adverse effects on the aquatic environment, the district engineer will exercise discretionary authority to require the project proponent to obtain an individual permit.

(6) Riffle and pool complexes: The activities authorized by this NWP will have minimal adverse effects on riffle and pool complexes. Division engineers can regionally condition this NWP to restrict or prohibit its use in riffle and pool complexes. Pre-construction notification is required for certain utility line activities, which will allow district engineers to review the proposed work, and if the adverse effects are more than minimal, exercise discretionary authority to require the project proponent to obtain an individual permit.

(k) Municipal and private water supplies: See paragraph (n) of section 5.1 for a discussion of potential impacts to water supplies.

(l) Recreational and commercial fisheries, including essential fish habitat: The activities authorized by this NWP may adversely affect waters of the United States that act as habitat for populations of economically important fish and shellfish species. Division and district engineers can condition this NWP to prohibit discharges during important life cycle stages,

such as spawning or development periods, of economically valuable fish and shellfish. All utility lines requiring section 10 authorization require submission of pre-construction notifications to the district engineer, which will allow review of each activity in navigable waters to ensure that adverse effects to economically important fish and shellfish are minimal. Compliance with general conditions 3 and 5 will ensure that the authorized work does not adversely affect important spawning areas or concentrated shellfish populations. As discussed in paragraph (g) of section 5.1, there are procedures to help ensure that impacts to essential fish habitat are minimal, individually or cumulatively. For example, division and district engineers can impose regional and special conditions to ensure that activities authorized by this NWP will result in minimal adverse effects on essential fish habitat.

(m) Water-related recreation: See paragraph (m) of section 5.1 above.

(n) Aesthetics: See paragraph (c) of section 5.1 above.

(o) Parks, national and historical monuments, national seashores, wilderness areas, research sites, and similar areas: General condition 19 prohibits the use of this NWP to authorize discharges of dredged or fill material in designated critical resource waters and adjacent wetlands, which may be located in parks, national and historical monuments, national seashores, wilderness areas, and research sites. This NWP can be used to authorize activities in parks, national and historical monuments, national seashores, wilderness areas, and research sites if the manager or caretaker wants to conduct work in waters of the United States and those activities result in minimal adverse effects on the aquatic environment. Division engineers can regionally condition the NWP to prohibit its use in designated areas, such as national wildlife refuges or wilderness areas.

## **7.0 Determinations**

### **7.1 Finding of No Significant Impact**

Based on the information in this document, the Corps has determined that the issuance of this NWP will not have a significant impact on the quality of the human environment. Therefore, the preparation of an Environmental Impact Statement is not required.

### **7.2 Public Interest Determination**

In accordance with the requirements of 33 CFR 320.4, the Corps has determined, based on the information in this document, that the issuance of this NWP is not contrary to the public interest.

### **7.3 Section 404(b)(1) Guidelines Compliance**

This NWP has been evaluated for compliance with the 404(b)(1) Guidelines, including Subparts C through G. Based on the information in this document, the Corps has

determined that the discharges authorized by this NWP comply with the 404(b)(1) Guidelines, with the inclusion of appropriate and practicable conditions, including mitigation, necessary to minimize adverse effects on affected aquatic ecosystems. The activities authorized by this NWP will not result in significant degradation of the aquatic environment.

#### **7.4 Section 176(c) of the Clean Air Act General Conformity Rule Review**

This NWP has been analyzed for conformity applicability pursuant to regulations implementing Section 176(c) of the Clean Air Act. It has been determined that the activities authorized by this permit will not exceed de minimis levels of direct emissions of a criteria pollutant or its precursors and are exempted by 40 CFR 93.153. Any later indirect emissions are generally not within the Corps continuing program responsibility and generally cannot be practicably controlled by the Corps. For these reasons, a conformity determination is not required for this NWP.

FOR THE COMMANDER

Dated: MAR - 1 2007



DON T. RILEY

Major General, U.S. Army  
Director of Civil Works

## 8.0 Literature Cited

Allan, J.D. 1995. *Stream Ecology: Structure and Function of Running Waters*. Chapman and Hall (London). 388 pp.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. *Classification of Wetlands and Deepwater Habitats of the United States*. U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-79-31. 131 pp.

Dahl, T.E. 2006. *Status and trends of wetlands in the conterminous United States 1998 to 2004*. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 112 pp.

Hall, J.V., W.E. Frayer, and B.O. Wilen. 1994. *Status of Alaska Wetlands*. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 33 pp.

Hansen, W.F. 2001. Identifying stream types and management implications. *Forest Ecology and Management* 143:39-46.

King, D.M., Wainger, L.A., C.C. Bartoldus, and J.S. Wakely. 2000. Expanding wetland assessment procedures: Linking indices of wetland function with services and values. ERDC/EL TR-00-17, U.S. Army Engineer Research and Development Center, Vicksburg, MS.

Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. *Fluvial Processes in Geomorphology*. Dover Publications, Inc. (New York). 522 pp.

Leopold, L.B. 1994. *A View of the River*. Harvard University Press (Cambridge). 298 pp.

Meyer, J.L. and J.B. Wallace. 2001. Lost linkages and lotic ecology: rediscovering small streams. In *Ecology: Achievement and Challenge*. Ed. by M.C. Press, N.J. Huntly, and S. Levin. Blackwell Science (Cornwall, Great Britain). pp. 295-317.

National Research Council (NRC). 1992. *Restoration of Aquatic Ecosystems*. National Academy Press (Washington, DC). 552 pp.

Natural Resources Conservation Service (NRCS). 2003. 2003 National Resources Inventory Wetlands Tables. <http://www.nrcs.usda.gov/technical/land/nri03/table1.html> (accessed 5/20/2005)

Peterson, C.H. and J. Lubchenco. 1997. Marine ecosystem services, in *Nature's Services: Societal Dependence on Natural Ecosystems*. Edited by G.C. Daily. Island Press (Washington, DC). pp. 177-194.

Postel, S. and S. Carpenter. 1997. Freshwater ecosystem services, in *Nature's Services: Societal Dependence on Natural Ecosystems*. Edited by G.C. Daily. Island Press

(Washington, DC). pp. 195-214.

Tiner, R.W. 2003. Geographically isolated wetlands in the United States. *Wetlands* 23:494-516.

Tiner, R. 1997. NWI maps: Basic information on the Nation's wetlands. *Bioscience* 47:269.