

LITERATURE CITED

Endangered and Threatened Wildlife and Plants; Designation of Critical Habitat for Berberis nevinii (Nevin's barberry); Final Rule

- Anderson, G.J., G. Bernardello, T.F. Stuessy, and D.J. Crawford. 2001. Breeding system and pollination of selected plants endemic to Juan Fernandez Islands. *American Journal of Botany* 88(2):220-233.
- Bean, M.J. 2002. Overcoming unintended consequences of endangered species regulation. *Idaho Law Review*. 38: 409-420
- Boyd, S.D. 1987. Habitat parameters of Mahonia nevinii (Gray) Fedde (Berberidaceae). Technical Report No. 3. Rancho Santa Ana Botanic Garden, Claremont, California. 79 pp.
- Boyd, S.D. 1991. Petition to list the Vail Lake Ceanothus under the California Endangered Species Act. Unpublished report submitted to the California Fish and Game Commission. 14 pp.
- Boyd, S. 2006. Curator of the Herbarium, Rancho Santa Ana Botanic Garden, Claremont, California. Electronic correspondence to Annalaura Averill-Murray, Fish and Wildlife Biologist, Nevada Fish and Wildlife Office, Reno, Nevada, 1 p.
- Boyd, S. 2007. Curator of the Herbarium, Rancho Santa Ana Botanic Garden, Claremont, California. Electronic correspondence to Annalaura Averill-Murray, Fish and Wildlife Biologist, Nevada Fish and Wildlife Office, Reno, Nevada, 1 p.
- Boyd, S.D., L.E. Arnseth, and T.S. Ross. 1989. Botanical assessment of Bedford Properties holdings surrounding Vail Lake, Pauba Valley, western Riverside County, California (Technical Appendix A) in S.G. Nelson, S.D. Boyd, L.E. Arnseth, and T.S. Ross. Biological assessment of Bedford Properties holdings surrounding Vail Lake, Pauba Valley, western Riverside County, California. Unpublished report submitted to Riverside County Board of Supervisors and Riverside County Planning Department, Riverside, California.
- Boyd, S.D. and D.L. Banks. 1995. A botanical assessment of the Agua Tibia Wilderness Area, Cleveland National Forest, California. Unpublished report submitted to the Cleveland National Forest. 78 pp.
- Brook, A., M. Zint, and R. De Young. 2003. Landowners' responses to an Endangered Species Act listing and implications for encouraging conservation. *Conservation Biology*. Vol. 17, No. 6. pp. 1638-1649.

- California Department of Fish and Game (CDFG). 2005. Nevin's barberry Berberis nevinii. Pp. 272-273 in The status of rare, threatened, and endangered plants and animals of California 2000-2004. Sacramento, California. 568 pp. + appendices.
- California Native Plant Society (CNPS). 2001. Berberis nevinii Gray. Pp. 96 in D.P. Tibor (ed.). California Native Plant Society's Inventory of rare and endangered plants of California, sixth edition, Sacramento, California.
- California Natural Diversity Database (CNDDDB). 2007. Element occurrence report for Berberis nevinii. Unpublished cumulative data current to September 13, 2007. A database application for the California Department of Fish and Game Natural Heritage Division. Sacramento, California.
- Conner, C. and N.E. Mathews. 2002. Education in action: an evaluation of the Endangered Species Act and landowner assurances, special series part I, Endangered Species UPDATE, 19(1): 11-12
- Crouse, D.T. Mehrhoff, L.A. Parkin, M.J., Elam, D.R. and Chen, L.Y. 2002. Endangered Species Recovery and the SCB study; a US Fish and Wildlife Service perspective. Ecological Applications 12(3): 719-723
- D'Antonio, C.M. and P.M. Vitousek. 1992. Biological invasions by exotic grasses, the grass/fire cycle, and global change. Annual Review of Ecology and Systematics 23:63-87.
- Department of the Interior, U.S. Fish and Wildlife Service (63 FR 54956-54971). 1998. Endangered and threatened wildlife and plants; endangered or threatened status for three plants from the chaparral and scrub of southwestern California. Final rule. Federal Register, Vol. 63, No. 197: 54956-54971.
- Department of the Interior, U.S. Fish and Wildlife Service (70 FR 59952-59974). 2005. Endangered and threatened wildlife and plants; designation of critical habitat for Atriplex coronata var. notarior (San Jacinto Valley crownscale). Final rule. Federal Register, Vol. 70, No. 197: 59952-59974.
- Department of the Interior, U.S. Fish and Wildlife Service (72 FR 5552-5580). 2007. Endangered and threatened wildlife and plants; designation of critical habitat for Berberis nevinii (Nevin's barberry). Proposed rule. Federal Register, Vol. 72, No. 24: 5552-5580.
- Dudek and Associates, Inc. 2003. Western Riverside County Final Multiple Species Habitat Conservation Plan, Volumes I -V. Prepared for the County of Riverside, Transportation and Land Management Agency by Dudek and Associates, 605 Third Street, Encinitas, California 92024.

- Fege, A.S. 1992. U.S. Department of Agriculture Forest Service Cleveland National Forest, Memorandum to files regarding Nevin's barberry (Mahonia nevinii) Species Management Guide. 1 p.
- Fraser, D. Species at the edge: the case for listing of "peripheral" species. In L. Darling (ed.) Proceedings of a Conference on the Biology and Management of Species and Habitats at Risk, Kamloops, B.C., Feb 1999. BC Ministry of Environment, Lands and Parks, Victoria, BC.
- Garcia, D. and R. Zamora. 2003. Persistence, multiple demographic strategies and conservation in long-lived Mediterranean plants. *Journal of Vegetation Science* 14:921-926.
- Hamrick, J. L. and M. J. W. Godt. 1996. Conservation genetics of endemic plant species. Pp. 281-304. In Avise, J. C. and J. L. Hamrick (eds). *Conservation Genetics*, Chapman and Hall, New York.
- Holtrop, J.D. 2007. Deputy Chief for National Forest System, Washington D.C. Letter to Jim Bartel, Field Supervisor, U.S. Fish and Wildlife Service, Carlsbad, California. 3 p.
- James, S.M. 2002. Bridging the gap between private landowners and conservationists. *Conservation Biology* 16(1): 269-271
- Keeley, J. 1991. Seed germination and life history syndromes in the California chaparral. *Botanical Review* 57(2):81-116.
- Keeley, J.E. 1992. Recruitment of seedlings and vegetative sprouts in unburned chaparral. *Ecology* 73(4):1194-1208.
- Keeley, J.E. and C.J. Fotheringham. 2001. Historic fire regime in southern California shrublands. *Conservation Biology* 15(6):1536-1548.
- Keeley, J.E., C.J. Fotheringham, and M. Morais. 1999. Reexamining fire suppression impacts on brushland fire regimes. *Science* 284:1829-1832.
- Kelly, V.R. and V.T. Parker. 1990. Seed bank survival and dynamics in sprouting and nonsprouting *Arctostaphylos* species. *American Midland Naturalist* 124(1): 114-123.
- Koch, E.D. 2002. The practice of endangered species conservation on private lands; one federal biologist's experiences. *Idaho Law Review* 38(2):505-516
- Krombein, K.V., P.D. Hurd, Jr., D.R. Smith, and B.D. Burks. 1979. *Catalog of Hymenoptera in America north of Mexico*. Volume 3. Smithsonian, Inst. Press; Washington, D.C.

- Lebuhn, G. and G. J. Anderson. 1994. Anther tripping and pollen dispensing in Berberis thunbergii. *American Midland Naturalist* 131:257-265.
- Lesica, P. and F.W. Allendorf. 1995. When are peripheral populations valuable for conservation? *Conservation Biology* 9(4):753-760.
- Main, M.B. F.M. Roka, and R.F. Noss, 1999. Evaluating costs of conservation. *Conservation Biology* 14(6):1262-1272
- Miller, C.I. and W.J. Libby. 1991. Strategies for conserving clinal, ecotypic, and disjunct population diversity in widespread species. Chapter 10. *In: Genetics and conservation of rare plants*. Oxford University Press. New York, New York.
- Mistretta, O. 1989. Field investigations of Mahonia nevinii habitat on the San Bernardino National Forest. Unpublished report. Rancho Santa Ana Botanic Garden, Claremont, California. 3 pp. + maps.
- Mistretta, O. and W.J. Brown. 1989. Species management guide for Mahonia nevinii (Gray) Fedde. Technical Report No. 4. Rancho Santa Ana Botanic Garden, Claremont, California. 15 pp. + Appendix.
- Morris, R. 2006. Plants for a Future. Edible, medicinal and useful plants for a healthier world. Database: Mahonia nevinii – (Gray.) Fedde. Website at <http://www.pfaf.org/database/plants.php?Mahonia+nevinii>.
- Munz, P.A. 1974. Berberidaceae Barberry Family. Pp. 242-245 *in* A flora of southern California. University of California Press, Berkeley, California. 1086 pp.
- Mussen, E.C. 2002. Impact of honey bees on the California environment, California native plants visited (and probably pollinated) by honey bees. University of California, Davis, California. Internet website http://www.entomology.ucdavis.edu/faculty/Mussen/beebriefs/HB_and_CA_Native_Plants.pdf
- National Wilderness Institute. 1995. Table showing State by State Government Land Ownership. National Wilderness Institute. Internet website <http://www.nwi.org/Maps/LandChart.html>, accessed February 22, 2006. pp 3.
- Niehaus, T. 1977. Status report on Berberis nevinii. Unpublished report. California Native Plant Society, Berkeley, California. 4 pp.
- Reiser, C.H. 2001. Rare plants of San Diego County. 2001 edition. Aquafir Press. Unpublished report.
- Roof, J.B. (ed.). 1968. Range extensions. *The Four Seasons* 2(4):22.

- Sanders, A. 2006. Curator/Museum Scientist, University of California Riverside, Riverside, California. Electronic correspondence to Annalaura Averill-Murray, Fish and Wildlife Biologist, Nevada Fish and Wildlife Office, Reno, Nevada.
- Scott, M. Murray, M, Wright R, Csuti B, Morgan P. and R. Pressey. 2001. Representation of natural vegetation in protected areas: capturing the geographic range. *Biodiversity and Conservation* 10: 1297-1301.
- Soulé, M. E., and D. Simberloff. 1986. What do genetics and ecology tell us about the design of nature reserves? *Conservation Biology* 35:19-40.
- Soza, V. 2003. Rancho Santa Ana Botanic Garden, Claremont, California. Correspondence to Jesse Bennet, Carlsbad Fish and Wildlife Office, Carlsbad, California.
- Soza, V. 2006. University of Washington, Seattle, Washington. Electronic correspondence to Annalaura Averill-Murray, Nevada Fish and Wildlife Office, Reno, Nevada.
- Soza, V. and S. Boyd. 2000. Surveys and Monitoring for Berberis nevinii (Berberidaceae) on the Angeles National Forest. Unpublished Report submitted to USDA Forest Service, Angeles National Forest, Arcadia, California. 29 pp.
- Soza, V. and N. Fraga. 2003. Monitoring program and 2003 monitoring data for Berberis nevinii (Berberidaceae), Nevin's barberry on the Angeles National Forest. Unpublished report submitted to USDA Forest Service, Angeles national Forest, Arcadia, California. 8 pp. + Appendices.
- Stein, B.A., T. Breden, and R. Warner. 1995. Significance of Federal lands for endangered species. Pages 398-401 in E.T. LaRoe, ed. *Our living resources: a report on the distribution, abundance, and health of U.S. plants, animals, and ecosystems*. National Biological Service, Washington, D.C.
- Tyler, C.M. 1996. Relative importance of factors contributing to postfire seedling establishment in maritime chaparral. *Ecology* 77(7):2182-2195.
- U.S. Bureau of Land Management (BLM). 1994. South coast resource management plan and record of decision. Prepared by Bureau of Land Management, California Desert District, Palm Springs-South Coast Resource Area, California. June 1994. 58 pp. + appendices and maps.
- U.S. Department of Agriculture. 2006. Improving forage for native bee crop pollinators. *Agroforestry Notes* 33: 1-4.
- U.S. Department of Agriculture Forest Service Cleveland National Forest, U.S. Department of the Interior Fish and Wildlife Service, and State of California Resources Agency Department of Fish and Game (USDA, USDI, and CDFG).

1997. Memorandum of Understanding between U.S. Department of Agriculture Forest Service Cleveland National Forest, the U.S. Department of the Interior Fish and Wildlife Service, and State of California Resources Agency Department of Fish and Game. Conservation strategy for coastal sage scrub and interdigitated habitats.
- U.S. Fish and Wildlife Service (Service). 2004. Intra-Service formal section 7 consultation/conference for issuance of an Endangered Species Act section 10(a)(1)(B) permit (TE-088609-0) for the Western Riverside County Multiple Species Habitat Conservation Plan, Riverside County, California (FWS-WRIV-870.19). June 22. Carlsbad, California.
- U.S. Fish and Wildlife Service (Service). 2005. Biological and conference opinions on the revised land and resource management plans for the four southern California National Forests, California (1-6-05-F-773.9). September 15. Carlsbad, California.
- U.S. Forest Service (USFS). 2005. Biological Assessment for the revised land management plans (Angeles National Forest, Cleveland National Forest, Los Padres national Forest, San Bernardino National Forest). March 18.
- Vines, R.A. 1960. Barberry Family (Berberidaceae). Pp. 270-274 in Trees, shrubs, and woody vines of the southwest. University of Texas Press, Austin, Texas. 1104 pp.
- Wallace, G. 2006a. Botanist, Carlsbad Fish and Wildlife Office, Carlsbad, California. June 6, 2006, Field Notes.
- Wallace, G. 2006b. Botanist, Carlsbad Fish and Wildlife Office, Carlsbad, California. Electronic correspondence to Annalaura Averill-Murray, Fish and Wildlife Biologist, Nevada Fish and Wildlife Office, Reno, Nevada.
- White, S.D. 2001. Berberis nevinii (Nevin's barberry). Pp. 35-37 in DOI Bureau of Land Management South Coast Resource Management Plan: Draft Biological Evaluation. Draft report prepared for USDI Bureau of Land Management, Riverside, California (March 19). 67 pp.
- White, S.D. 2007. Consulting Biologist, Scott White Biological Consulting, Upland, California. Letter to Jim Bartel, Field Supervisor, Carlsbad Fish and Wildlife Office, Carlsbad, California. 2 pp.
- Wilcove, D.S. M.J. Bean, R. Bonnie and M. McMillian. 1996 Rebuilding the ark: toward a more effective endangered species act for private land. Environment Defense Fund doc. 483, pp.1-15

- Wilcove, D.S. and L.Y. Chen. 1998. Management Costs for Endangered Species. Conservation Biology, Vol. 12, No. 6. 1405-1407.
- Wolf, C.B. 1940. Mahonia nevinii Nevin's Mahonia. Rancho Santa Ana Botanic Garden Leaflets of Popular Information No. 35.
- Young, J.A. and C.G. Young. 1992. Seeds of woody plants in North America-- revised and enlarged edition. Dioscorides Press, Portland, Oregon. 407 pp.